

430 Series

Small Mushroom Button Switches



SDC's 430 heavy duty industrial series incorporates a 1½" round mushroom button with heavy duty contacts. The assembly is capable of withstanding high impact and is ideal for heavy duty high frequency use.

432K models latch when depressed and must be reset with the built-in-key. Applications include alarm, panic alarm and emergency door release where systems are restored by authorized personnel only.



432KLDUR

MODELS

- 431** Alternate Action (AA) On/Off, SPST
- 432** Momentary (MO), SPST
- 432K** Momentary (MO) Latching with Key Reset, DPST
- 434** Momentary (MO), DPST
- 435** Alternate Action (AA) On/Off, DPST

STANDARD FEATURES

- 1½" mushroom exit switches
- Heavy duty to withstand impact
- Water resistant contacts
- High frequency use
- Screw terminal wire connections
- Green button standard*

* Red button is standard for 432K models

OPTIONAL FEATURES

- Red button
- Visual status indicator (LED)
- Alternative signage




SPECIFICATIONS

	431	432	432K	434	435
Faceplate	20 Guage Stainless Steel	20 Guage Stainless Steel	20 Guage Stainless Steel	20 Guage Stainless Steel	20 Guage Stainless Steel
Button	Green	Green	Red	Green	Green
Weight	0.5 lbs	0.5 lbs	0.5 lbs	0.5 lbs	0.5 lbs
Contact	SPST	SPST	DPST	DPST	DPST
Rating	6 Amp @ 30 VDC Resistive	6 Amp @ 30 VDC Resistive	6 Amp @ 30 VDC Resistive	6 Amp @ 30 VDC Resistive	6 Amp @ 30 VDC Resistive
Type	Alternate Action (AA) On/Off	Momentary (MO)	Momentary (MO) Latching w/ Key Reset	Momentary (MO)	Alternate Action (AA) On/Off
Normally Closed (NC)	431C	432C	-----	-----	-----
Normally Open (NO)	431O	432O	-----	-----	-----

	431CN 431ON	432CN 432ON	432KN	434N	435N
Size	Narrow	Narrow	Narrow	Narrow	Narrow
Dimensions	1¾" x 4½"	1¾" x 4½"	1¾" x 4½"	1¾" x 4½"	1¾" x 4½"
Signage	-----	EXIT	-----	EXIT	-----

	431C 431O	432C 432O	432K 432KLD	434	435
Size	Single Gang	Single Gang	Single Gang	Single Gang	Single Gang
Dimensions	2⅞" x 4½"	2⅞" x 4½"	2⅞" x 4½"	2⅞" x 4½"	2⅞" x 4½"
Signage	-----	EXIT	LOCKDOWN*	EXIT	-----

Size	-----	-----	-----	-----	-----
Dimensions	-----	-----	-----	-----	-----
Signage	-----	-----	-----	-----	-----

* LOCKDOWN signage is for 432KLD models only. The 432K does not have any signage on the faceplate.


CERTIFICATIONS

UL 294 Access Control System Units*

* Only 432KLD models are UL 294 listed.

HOW TO ORDER

FOLLOW STEPS FOR ORDERING

 Designates optional step

1| SPECIFY MODEL

NARROW

431CN Alternate Action (AA) On/Off, SPST-NC

431ON Alternate Action (AA) On/Off, SPST-NO

432CN Momentary (MO), SPST-NC

432ON Momentary (MO), SPST-NO

432KN* Momentary (MO) Latching w/ Key Reset, DPST

434N Momentary (MO), DPST

435N Alternate Action (AA) On/Off, DPST

* Latching models only available with red mushroom button. Must specify option "R".

SINGLE GANG

431C Alternate Action (AA) On/Off, SPST-NC

431O Alternate Action (AA) On/Off, SPST-NO

432C Momentary (MO), SPST-NC

432O Momentary (MO), SPST-NO

432K* Momentary (MO) Latching w/ Key Reset, DPST

432KLD* Momentary (MO) Latching w/ Key Reset, DPST

434 Momentary (MO), DPST

435 Alternate Action (AA) On/Off, DPST

* Latching models only available with red mushroom button. Must specify option "R".

SIGN

[blank]

[blank]

EXIT

EXIT

[blank]

EXIT

[blank]

SIGN

[blank]

[blank]

EXIT

EXIT

[blank]

LOCKDOWN

EXIT

[blank]

2| SPECIFY FINISHES

U 630 Dull Stainless  Standard

S 629 Bright Stainless

C 605 Bright Brass

H 613 Dark Oil Rubbed Bronze

D 606 Dull Brass

Q 626 Dull Chrome

P 625 Bright Chrome

3| SPECIFY OPTIONS

R Red Button

L1G Visual Status Indicator (LED), One Green

L1R Visual Status Indicator (LED), One Red

L2 Visual Status Indicator (LED), One Green & One Red

LT Visual Status Indicator (LED), One Tri-Color

E* Add "EXIT" Sign

B** No Sign, Blank

* Available for 431 and 435 models only.

** Available for 432 and 433 models only.

STEP NUMBER:

1

2

3

ORDERING EXAMPLE:

432KLD

U

R

RELATED PRODUCTS

RETROFIT BACK BOX

BB1D Single Gang, 2¹/₄" x 3³/₄" x 2³/₄"

